

# ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of product	Urethane Resin 45-60-80 Code-Nr. 105101
1.2. Relevant identified uses of the substance or mixtu	re and uses advised against
Uses advised against	
<b>Remark</b> Do not use for injecting or spraying.	
<b>Recommended intended purpose(s)</b> 2-K Urethan - Resin	
1.3. Details of the supplier of the safety data sheet	
Distributor	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster Phone : +49(0)251 / 9322 - 0, Fax : +49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de
Advice	Produktsicherheit / Product-Safety-Department Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person): msds@weicon.de
1.4. Emergency telephone number	
	EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English)
Manufacturer	WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster
1.4. Emergency telephone number	
	GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch)

# **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]				
Hazard classes and Hazard categories	Hazard Statements Classification procedure			
Acute Tox. 4	H332			
Eye Irrit. 2	H319			



## Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
Resp. Sens. 1	H334	
Skin Sens. 1	H317	

#### Hazard Statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



# Signal word

Danger

## **Hazard Statements**

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## **Precautionary Statements**

P102	Keep out of reach of children.
P261 P264 P271 P272 P280 P285	Avoid breathing vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection. In case of inadequate ventilation wear respiratory protection.
P302 + P352 P304 + P340 P304 + P341	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 P312 P333 + P313 P337 + P313	<ul><li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li><li>Call a POISON CENTER or doctor/physician if you feel unwell.</li><li>If skin irritation or rash occurs: Get medical advice/attention.</li><li>If eye irritation persists: Get medical advice/attention.</li></ul>
P342 + P311 P363 P501	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Dispose of contents/container to hazardous or special waste collection point.
	· · ·

# Hazardous ingredients for labeling

4-methyl-m-phenylene diisocyanate, aromatic polyisocyanate-prepolymer, HDI oligomers, isocyanurate, HDI oligomers, biuret



## Special rules for supplemental label elements for certain mixtures

Contains isocyanates. May produce an allergic reaction.

## 2.3. Other hazards

People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

#### Information pertaining to special dangers for human and environment

May cause sensitization by inhalation.

Harmful: danger of serious damage to health by prolonged inhalation

## Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/ information on ingredients**

# **3.1. Substances** not applicable

#### 3.2. Mixtures

**Hazardous ingredients** 

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]	
584-84-9	209-544-5	4-methyl-m-phenylene diisocyanate	0,1 < 1	Carc. 2, H351 / Acute Tox. 2, H330 / Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315 / Resp. Sens. 1, H334 / Skin Sens. 1, H317 / Aquatic Chronic 3, H412	
37273-56-6		aromatic polyisocyanate-prepolymer	50 - 99,9	Eye Irrit. 2, H319 / Skin Sens. 1, H317	
28182-81-2		HDI oligomers, isocyanurate	2,5 < 10	Acute Tox. 4, H332 / Skin Sens. 1, H317 / STOT SE 3, H335	
	931-288-4	HDI oligomers, biuret	1 < 2,5	Acute Tox. 3, H331 / Skin Sens. 1, H317 / STOT SE 3, H335	
REACH					
CAS No	Name			<b>REACH registration number</b>	
584-84-9	, ,	henylene diisocyanate		01-2119486974-18	
37273-56-6	aromatic poly	<i>r</i> isocyanate-prepolymer	olymer not subject to registration		

28182-81-2	HDI oligomers, isocyanurate
	HDI oligomers, biuret

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. In the event of persistent symptoms receive medical treatment.

#### In case of inhalation

Remove the casualty into fresh air and keep him immobile. Seek medical treatment immediately.

#### In case of skin contact

In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.

## In case of eye contact

In case of contact with eyes rinse thoroughly with water. Call for a doctor immediately. not subject to registration 01-2119488177-26-0000



**In case of ingestion** Do not induce vomiting. Seek medical advice immediately.

# 4.2. Most important symptoms and effects, both acute and delayed Physician's information / possible symptoms

Coughing vomiting Respiratory complaints skin irritation

# Physician's information / possible dangers

Risk of pulmonary irritation allergic reactions

## **4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor)** Keep under medical supervision for at least 48 hours. Symptoms may not occur until several hours.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media Suitable extinguishing media ABC powder Carbon dioxide Water spray jet

Unsuitable extinguishing media Full water jet

# 5.2. Special hazards arising from the substance or mixture

Danger of bursting In case of fire formation of dangerous gases possible. Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2) Hydrogen cyanide (HCN)

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

# Additional information

Cool endangered containers with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Ensure adequate ventilation. Keep people away and stay on the upwind side. Use personal protective clothing. Keep away sources of ignition. Use breathing apparatus if exposed to vapours/dust/aerosol.



## 6.2. Environmental precautions

Inform pollution control authorities if product gets into the sewerage systems or open waters. Do not discharge into the drains/surface waters/groundwater.

## 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). Disposal according to regulations. Ventilate area concerned

## Additional Information

Sort out leaky cans and dispose according to regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Keep container tightly closed. Avoid formation of aerosols. Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

## **General protective measures**

Do not inhale vapours. Avoid contact with eyes and skin Ensure sufficient ventilation.

#### **Hygiene measures**

At work do not eat, drink and smoke. Remove soiled or soaked clothing immediately. Work in rooms with good ventilation. Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Protect from heat and sunlight. Pay attention to general rules of internal fire prevention.

# 7.2. Conditions for safe storage, including any incompatibilities

**Requirements for storage rooms and vessels** Keep only in original container.

## Advice on storage compatibility

Do not store with acids or alkalies. Do not store together with animal feedstuffs. Do not store together with food.

## Further information on storage conditions

Store closed container at cool and aired place. Protect from frost. Protect from heat and direct solar radiation. Store in a dry place.

## 7.3. Specific end use(s)

**Recommendation(s) for intended use** See section 1.2



# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters DNEL-/PNEC-values DNEL worker

CAS No	Substance name	Value	Code	Remark
584-84-9	4-methyl-m-phenylene diisocyanate	0,14 mg/m3	DNEL acute inhalative (local)	
		0,035 mg/m3	DNEL long-term inhalative (local)	
		0,035 mg/m3	DNEL long-term inhalative (systemic)	
		0,14 mg/m3	DNEL acute inhalative (systemic)	
PNEC				
CAS No	Substance name	Value	Code	Remark
584-84-9	4-methyl-m-phenylene diisocyanate	0,00125 mg/l	PNEC aquatic, marine water	
		0,013 mg/l	PNEC aquatic, freshwater	

## Additional advice

The statutory local and national regulations have to be observed.

## 8.2. Exposure controls

## Respiratory protection

If ventilation insufficient, wear respiratory protection.

Short-term: filter apparatus, filter A2/P2, otherwise environment-independent breathing apparatus.

#### Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

## Eye protection

tightly fitting goggles

## Other protection measures

protective clothing

## Appropriate engineering controls

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical propertiesAppearanceColourliquidtransparent

Odour characteristic

**Odour threshold** 



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 05.08.2019 revision 11.10.2017 (GB) Version 1.2 Urethane Resin 45-60-80

#### not determined

#### Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
boiling point	> 300 °C			DIN 53171	
melting point	not determined				
Flash point	> 100 °C			closed cup	
Vapourisation rate	not determined				
Flammable (solid)	not applicable				
Flammability (gas)	not applicable				
Ignition temperature	> 200 °C				estimate
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	1,1 g/cm3			ISO 2811	
Vapour density	not determined				
Solubility in water					No or low immiscibility
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity dynamic	6750 mPa*s	20 °C		ISO 9371	
Viscosity kinematic	not determined				
<b>Oxidising properties</b> No information available.					
Explosive properties no					
<b>9.2. Other information</b> No information available.					



## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

Reactions with strong acids and alkalies.

# 10.4. Conditions to avoid

Keep away from heat.

## 10.5. Incompatible materials

Substances to avoid Alkali (lye) Acid

## **10.6. Hazardous decomposition products**

Hydrogen cyanide (hydrocyanic acid) Nitrogen oxides (NOx) Carbon monoxide and carbon dioxide.

## **Thermal decomposition**

Remark No decomposition if used as directed.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 5001 mg/kg	rat		CAS: 37273-56-6
LD50 acute dermal	> 9400 mg/kg	rabbit		CAS: 584-84-9
LC50 acute inhalation	0,107 mg/l (4 h)	rat	OECD 403	CAS: 584-84-9
Skin irritation	low irritant effect - not necessary to label			
Eye irritation	irritant			
Skin sensitization	sensitizing			
Sensitization respiratory system	sensitizing			
Subacute Toxicity - C	arcinogenicity			
	Value	Species	Method	Validation



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 05.08.2019 revision 11.10.2017 (GB) Version 1.2

## Urethane Resin 45-60-80

Value	Species	Method	Validation
Mutagenicity			No experimental information on genotoxicity in vitro available.
Reproduction- Toxicity			No indications of toxic effects were observed in reproduction studies in animals.
Carcinogenicity			No indications of carcinogenic effects are available from long-term trials.
<b>Experiences made from practice</b> Frequent and / or prolonged contact may lea May cause allergy or asthma symptoms or b Sensitization through inhalation possible. Sensitization through skin contact possible.		led.	

Irritates respiratory tract. Irritates mucous membranes.

Causes eye irritation.

## Additional information

The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded. The product has not been tested. The information is derived from the properties of the individual components.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

## Easterias legissi offecte

Ecotoxicolo	gical effects Value	Species	Method	Validation
Fish	LC50 133 mg/l (96 h)	rainbow trout	OECD 203, CAS: 584-84-9	Ecotoxicological tests carried out to determine the properties of a comparable product
Daphnia	EC50 12,5 mg/l (48 h)	Daphnia magna	OECD 202, CAS: 584-84-9	Ecotoxicological tests carried out to determine the properties of a comparable product
Algae	ErC50 3230 mg/l (96 h)	Skeletonema costatum	OECD 201, CAS: 584-84-9	Ecotoxicological tests carried out to determine the properties of a comparable product
Bacteria	EC50 > 10000 mg/l (3 h)	activated sludge	OECD 209, CAS: 37273-56-6	Ecotoxicological tests carried out to determine the properties of a comparable product

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment



The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Other adverse effects

## General regulation

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Recommendations for the product**

Remove in accordance with local official regulations. Dispose of as hazardous waste.

## **Recommendations for packaging**

Dispose of according to the local waste regulations. Packaging that cannot be cleaned should be disposed of like the product.

#### **General information**

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

SECTION 14: Transport information	
-----------------------------------	--

	ADR/RID	IMDG	IATA-DGR		
14.1. UN number	-	-	-		
14.2. UN proper shipping name	-	-	-		
14.3. Transport hazard class(es)	-	-	-		
14.4. Packing group	-	-	-		
14.5. Environmental hazards	-	-	-		
<b>14.6. Special precautions for</b> No information available.	user				
14.7. Transport in bulk according to Appay II of MARDOL 72/79 and the IRC Code					

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

# Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard VOC content 0 %



## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

## **Recommended uses and restrictions**

National and local regulations concerning chemicals shall be observed. For industrial use only.

## **Further information**

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EUdirectives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.1

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
- H412 Harmful to aquatic life with long lasting effects.