



WEICON Solutions for

Automotive and Transport





Contact - Cyanoacrylate Adhesives

WEICON Contact are instant adhesives, free of solvents. They bond various materials, e.g. metal, glass, wood, plastic, ceramic, leather and rubber.

VA 250 Black

- Cyanoacrylate Adhesive for special requirements
- · bonding of various rubber materials
- high-temperature-resistant (+140°C/+284°F) and with residual elasticity

30 g 🎷 12600030



VA 8312





- bonding of various rubber materials such as solid rubber or cellular rubber. plastics and EPDM elastomers
- · very fast-curing

30 g 🎸 12200030

VEICONLOCI

ne Aktiva



WEICONLOCK® - Anaerobic Adhesives and Sealants

Especially made for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies. After curing, it provides a shock- and vibration-resistant joint with excellent resistance to chemicals and solvents from -60°C to +200°C (-76°F to +392°F).



AN 302-43



- threadlocking
- drinking water and **DVGW** approval

higher viscosity • medium strength disassembly with normal tools

50 ml 💅 30243150



- threadlocking for passive surfaces
- · application possible without activator

medium viscosity • high strength hard to disassemble

50 ml 💅 30260150



AN 305-73

- · gasketing of flanges, gearboxes and other motor housings
- universal use

highly viscous · low strength easy disassembly

50 ml 🍼 30573150

AN 306-38

- retaining cylindrical assemblies for bearings, gear wheels and bolts
- · fast-curing
- drinking water approval

medium viscosity · high strength hard to disassemble

50 ml 🎸 30638150

AN 302-70



- · locking of threads and stud bolts
- · drinking water and **DVGW** approval

medium viscosity • high strength hard to disassemble

50 ml 💅 30270150

Gasket Maker

WEICON Gasket Maker is a strong and permanently elastic special sealant that cures with air humidity and practically without shrinkage. The Gasket Maker has a very good adhesion to steel, aluminium, glass, ceramic, and many other materials.

- UV-resistant
- · resistant to ageing
- pressure-resistant

310 ml 💉 30100310 red

310 ml 🧭 30101310 black







Plast-o-Seal® - Permanently Plastic Universal Sealant



Plast-o-Seal®

- · permanently plastic universal sealant
- evaporation is not required
- · immediate assembly possible
- high-temperature-resistant (-50°C to +200°C) (briefly up to +250°C)

230 g 🎸 30000230

120 g 🍯 30000120 Brush top

300 g 🍯 30000300 Cartridge



Elastic Adhesives and Sealants

Elastic adhesives and sealants are nowadays used in many areas of industrial production and assembly. They combine the advantages of adhesive bonding and sealing technology and are

used wherever the elasticity and the sealing of a joint are the most important requirements.



Flex 310 M® Classic

- · free of isocyanate and solvents
- versatile
- · free of silicone
- LFGB and ISEGA certified



310 ml 🧭 13305310







Flex 310 M® Crystal

- crystal-clear curing
- good resistance to UV rays and excellent ageing
- free of silicone
- · LFGB and ISEGA certified







Flex 310 M® Liquid

- liquid
- self-leveling
- · LFGB and ISEGA certified







Multi-Flex

- for bonding almost all kinds of material
- extremely fast-curing, strong adhesion, elastic
- · universal use

25 ml 😿 13362025



Black-Seal

- extremely resistant against oil and grease
- high-temperature-resistant (+280°C/+536°
- · for bonding and sealing



200 ml 😿 13051200 Press pack

310 ml 🧭 13051310 Cartridge





Epoxy Adhesives

WEICON Epoxy Adhesives are cold-curing, solvent-free two component systems with extremely strong adhesion. They allow material bonds with high traction and impact resistance and are therefore perfect for assembly, repair and production.





Repair Sticks









Repair Stick Aluminium

- non-rusting
- · fast-curing
- · aluminium-filled

115 g 🧭 10534115

Repair Stick Titanium

- wear-resistant
- titanium-filled
- high-temperature-resistant (+280°C/+536°F)

115 g 🍯 10535115

· 3 m x 19 mm (length x width)

Repair Stick Plastic





- residual elasticity
- NSF approval
- can be used in drinking water areas

115 g 🍯 10536115

Mounting Tape

Grey

- for smooth surfaces
- high flexibility
- · extremely strong adhesion
- · load bearing capacity 85 kg/m
- · 3 m x 19 mm (length x width)
- · core size 40 mm

3 m 😿 14050319

Transparent

moisture-resistant

· core size 40 mm

- UV-resistant
- strong



3 m 🧭

14100319





WEICON Solutions for Automotive and Transport

Easy-Mix RK-7200 / Easy-Mix RK-7300

WEICON Easy-Mix RK-7200 and RK-7300 are fast curing, solvent free structure and construction adhesives based on MMA (methyl methacrylate). They can be used to bond many materials such as plastics, metals, wood or ceramics with high tensile, shear and peel strength.

Easy-Mix RK-7200 and RK-7300 are universally applicable and can be used, for example, in car body and vehicle construction, in mechanical engineering, in metal construction, in electrical engineering or in plastics technology.



Easy-Mix RK-7200

- transparent
- highly viscous
- impact resistant

50 ml **1**0564050



Easy-Mix RK-7300

- excellent adhesion on plastics and EPDM
- high strength, highly viscous, impact-resistant

50 ml 🕥



Easy-Mix Hand Dispenser D50



Quadro Mixing Nozzle

These Easy-Mix types can alternatively be processed with Quadro Mixing Nozzle.

10650005



Easy-Mix PU-90 / Easy-Mix PU-240

High-strength, fast-hardening 2-component structural adhesives based on polyurethane with excellent adhesion on a broad range of materials. The high-viscosity formulation enables application even on vertical surfaces. The 2-component system also enables fast and controlled curing. That makes the bonding process virtually independent of layer thickness, humidity and ambient temperature.



Easy-Mix PU-90

- high strength and highly viscous
- can be sanded and painted over after approx. 10 minutes
- pot life approx. 90 seconds



Easy-Mix PU-240

- · high strength and highly viscous
- can be sanded and painted over after approx. 30 minutes
- pot life approx. 240 seconds

50 ml 🗹





Technical Sprays and Technical Liquids

Technical sprays and liquid substances are used in almost all areas of industry. They are used for the care and protection of

surfaces, for cleaning and degreasing, lubricating, releasing and separating and are an indispensable part of daily work.

Spray-on Grease white

- · multipurpose spray grease for highly stressed parts
- · outstanding adhering strength and excellent ageing and pressure resistance
- temperature stability from -20°C to +150°C $(-4^{\circ}F \text{ to } +302^{\circ}F)$



Rust Shock

- · the chemical wrench
- free of mineral oil, grease and silicone
- · loosens threaded joints within a very short time





- · long-lasting cathodic corrsoion protection
- paintable
- >1050 hours salt spray test according to DIN EN ISO 9227

400 ml 🧭 11000400



Zinc Spray bright grade (NSF)

- · long-lasting cathodic corrosion protection
- · colour shade matching hot-dip galvanization
- >550 hours salt spray test according to DIN EN ISO 9227

400 ml 🧭 11001400



Aluminium-Spray A-100

- abrasion-proof
- protects against rust and corrosion
- high-grade corrosion protection for all metal surfaces

400 ml 🧭 11050400

Rust Loosener and Contact Spray

- the six-fold function makes it indispensable for repairs, maintenance and servicing
- · work is possible even overhead
- protects against corrosion and oxidation

400 ml 🕥 5 L 🧭 11150400 15150005

Universal Spray-on Grease with MoS₂

- · high-pressure-resistant and strong long-term lubricant
- · reduces friction and wear
- temperature-resistant from -20°C to +120°C (-4°F +248°F)

400 ml 🧭 11530400

Corro-Protection

- · corrosion protection of metal parts for indoor storages
- lastingly preserves tools and precision components made of metal
- · transparent protective film approved by the German TÜV

400 ml

5 L 😿 11550400 15550005



Allround Sealing Spray

- sprayable plastic with a strong adhesion
- for the sealing of the finest cracks and seams
- overpaintable
- for indoor and outdoor use

400 ml 400 ml 400 ml 11554400 11555400 11553400 white grey



Technical Sprays and Technical Liquids



W44T® Multi-Spray

- lubricates precision mechanics
- dispels moisture
- corrosion protection

400 ml 🥑 500 ml 🧭 11251550 11251400 5 L 🤡 10 L 🎸 15251005 15251010

Multi Foam

- · powerful universal cleaner for residue-free cleaning
- cleans the most diverse types of surfaces, such as metal, plastic, glass, ceramics or lacquered and coated surfaces

400 ml 🧭 11200400

Cockpit Spray

- care product for all plastic and rubber parts in motor vehicle interiors
- · prevents door, window and boot seals from freezing

400 ml 🧭 11400400

Citrus Cleaner

- universal cleaner based on citrus peel extracts
- cleans machines and systems, precision engineering components and precision mechanisms

400 ml 🧭 5 L 🧭 11217400 15210005

Sealant and Adhesive Remover

- removes residues of hardened sealants and adhesives as well as lacquers and paints
- · can be used on metal, wood, glass, ceramics, polyethylene and polypropylene

400 ml 🧭 5 L 🕥 11202400 15213005

Workshop Cleaner

- · cleans and degreases metals, plastics, rubber, glass, ceramics and wood
- · biodegradable according to the **EU** quidelines

500 ml 😿 5 L 🥑 10 L 😿 15205500 15205005 15205010

Surface Cleaner

- · for pre-treatment of bonding surfaces
- · for cleaning and degreasing of surfaces
- · evaporates without residues and colourless

400 ml 5 L 😿 11207400 15207005

AT-44 Allround-Spray

- with PTFE without silicone
- loosens seized screw connections, bolts, fittings and valves
- dispels moisture from electrical cables

150 ml 😿 400 ml 😿 5 L 😿 11250150 11250400 15250005





Technical Sprays

Contact Spray

- protection and care of electrical contacts and components
- keeps contacts, fuses and cable connections free of oxidation

400 ml 😿 11152400



Hand Protective Foam

- waterproof and provides lasting protection
- · protects against hazardous substances and irritants from aggressive chemical substances
- greaseless, invisible and waterproof

200 ml 🧭 11850200



Starter Spray

- for both diesel and petrol engines
- · for the easy and safe starting of combustion engines
- · protects both the engine and the battery

400 ml 🥑 11660400

Adhesive Spray - extra strong -

- · for strong and reliable adhesions
- for rough and uneven surfaces
- the special valve allows the adhesive quantities to be adjusted with infinite variability

500 ml 🧭 11801500



WEICON Crack Testing Agent









Cleaner, Penetrant and Developer for the non-destructive material testing by way of colour penetration process

Cleaner/Remover 1 & 3





Material-neutral special cleaner for the colour penetration test. Suitable for metals, many plastics, ceramic materials, glass etc. The suitability for plastic has to be tested in advance.

500 ml 🧭 11692500

Penetrant 2



Red diffusion agent with excellent capillary action for the nondestructive material testing - washes off with solvent. Suitable for metals, many plastics, ceramic materials, glass etc. The suitability for plastic has to be tested in advance.

500 ml 🧭 11690500

Developer 4

Colourfast special developer on solvent basis for colour penetration tests. Suitable for metals, many plastics, ceramic materials, glass etc. The suitability for plastic has to be tested in advance.

500 ml 🧭 11691500

Standards and regulations Sample-tested according to DIN EN ISO 3452-2. Low sulphur and halogen content, according to DIN EN ISO 3452-2 and ASMECode, Section V, Auticle 5, APEVA ND TIV 9947. Article 6. AREVA NP TLV 9017.







WEICON Solutions for Automotive and Transport

Anti-Seize - Assembly Pastes

All kinds of influencing factors, e.g. moisture, temperature or friction, repeatedly lead to corrosion damage, seizure and wear on machines and installations.

Extensive repair and maintenance work at considerable costs are the consequence.

Especially under extreme conditions of application, e.g.

- high operation temperatures
- · high pressure loads
- outdoor weather conditions

such consequences frequently occur.



Anti-Seize

- long-lasting protection against corrosion, seizure and wear
- high-temperature-resistant up to +1200°C (+2192°F)
- exceptionally good separating effect



400 ml 27000400 Spray



Anti-Seize High-Tech



NSF-tested

• high-temperature-resistant up to +1400°C (+2552°F)

450 g 400 ml 2 26100045 27050400 Can Spray

Copper Paste

 protecting, separating and lubricating agent for highly stressed parts in high-temperature applications

200 ml 26200200 Press pack

500 g 26200050

Brush top









No.1 in Form & Funktion

Our tools have been developed for accurate, fast and safe stripping of all common cable types. They carry the GS seal of TÜV Nord and were developed considering aspects of work safety.

Wire Stripper No. 5

- for finely stranded and solid conductors with PVC insulation
- for all common conductors from 0.2 6 mm² (24 10 AWG)

★ → mm	g	mm²	Ømm	ArtNo.
170	107	0,2 - 6 (24 - 10 AWG)	-	51000005
5	L			
		1/4		
	g of a cable compartme			
			Pa	t.no. EP 1 671 407 B1
				407 B1









Multi-Opener

The ideal tool for the gentle opening of sensitive equipment and dismounting of clipped housings.

- no scratching of sensitive surfaces
- conductive ESD material protects against electrostatic discharge
- flexible fibreglass-reinforced polyamide

√mm	ğ	Surface Resistance	ArtNo.
180	22	approx. $10^{9}\Omega$	52800000



Wire Stripper No. 7 Magic

- for finely stranded and solid conductors with PVC insulation
- for all common round cables from 0.5 - 16 mm² (20 – 6 AWG flexible) (20 – 8 AWG massive)

★ → mm	ğ	Round cables	mm²	ArtNo.
170	217	Flexible Solid	0,5 - 16 (20 - 6 AWG) 0,5 - 10 (20 - 8 AWG)	51000007

Multi-Stripper No. 400

- for finely stranded and solid conductors with PVC insulation
- 0.5 6 mm² (20 10 AWG)

51000400



₩₩	ğ	mm²	Ømm	ArtNo.
155	79	0,5 - 6 (20 - 10 AWG)	8 - 13	51000400

Automotive and Transport

Quadro-Stripper No. 16

- multifunctional with optimized cable routing
- circular and longitudinal cutting stripping cutting
- exchangeable hook blade, firmly locked in any position
- anti-slip handle shape



₩₩	ğ	mm²	Ømm	ArtNo.
125	53	0,5 - 6 (20 - 10 AWG)	8 - 13	52000016





Duo-Crimp No. 300

- stripping and crimping with just one tool
- insulation removal from 0.5 mm² to 6.0 mm²
- two crimping ranges are offered (0.5 2.5 mm² and 4.0 6.0 mm²) according to DIN 46228-2
- integrated, well-accessible side cutter up to 6 mm²





mm	ğ	mm²	Ømm	ArtNo.
160	116	0,5 - 6 (20 - 10 AWG)	-	51000300







Cable Scissors No. 35

- cutting stripping crimping
- 2-component handles for increased safety
- · high cutting performance
- blades made of special stainless steel





Crimp-Set Pro

Allround equipment for crimping with wire ends

- Duo-Crimp No. 300
- Wire Stripper No. 7 Magic
- High quality shaker with 400 wire ends (0.5 - 2.5 mm²) according to DIN 46228





Art.-No.

340 x 280 x 55 950 52880002



Cu/Al

Cu/Al

<35 mm²



WEICON GmbH & Co. KG (Headquarters)

Königsberger Str. 255 · DE-48157 Münster P.O. Box 84 60 · DE-48045 Münster Germany

phone +49 (0) 251 9322 0 info@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 1 P.O. Box 118 216 · Dubai United Arab Emirates

phone +971 4 880 25 05 info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20 Kitchener · Ontario N2E 2C3 · Canada phone +1 877 620 8889 info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Orhan Gazi Mahallesi 16. Yol Sokak No: 6 34517 Hadımköy-Esenyurt · Istanbul Turkey

> phone +90 (0) 212 465 33 65 info@weicon.com.tr

WEICON Romania SRL

Str. Podului Nr. 1 547176 Budiu Mic (Targu Mures) · Romania phone +40 (0) 3 65 730 763 office@weicon.com

WEICON SA (Pty) Ltd

Unit No. D1 · Enterprise Village Capricorn Drive · Capricorn Park Muizenberg 7945 (Cape Town) · South Africa phone +27 (0) 21 709 0088

info@weicon.co.za

WEICON South East Asia Pte Ltd

7 Soon Lee Street #01-11 iSPACE · Singapore 627608 Phone (+65) 6710 7671 info@weicon.com.sg

WEICON Czech Republic s.r.o.

Teplická 305 CZ-417 61 Teplice-Bystřany Česká republika

phone +42 (0) 417 533 013 info@weiconcz.cz

WEICON Ibérica S.L.

Av. de Somosierra 18, Nave 6 San Sebastián de los Reyes 28703 Madrid

phone +34 (0) 914 7997 34 info@weicon.es

WEICON Italia S.r.L.

phone +39 (0) 329 235 9592 info@weicon.it

www.weicon.com

