

No. 1907/2006 (REACH) Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Leak-Detection-Liquid-Viscous

Code-Nr. 154030

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

Technical Liquids

1.3. Details of the supplier of the safety data sheet

Distributor WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

Phone: +49(0)251 / 9322 - 0, Fax: +49(0)251 / 9322 - 244

E-Mail: msds@weicon.de Internet: www.weicon.de

Advice Produktsicherheit / Product-Safety-Department

Phone : +49(0)251 / 9322 - 0 Fax : +49(0)251 / 9322 - 244 E-mail (competent person):

msds@weicon.de

1.4. Emergency telephone number

EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel:

++44 1865 407333 (English)

TRANSPORT EMERGENCY CONTACT - UK, UAE, South

Africa (24h): Tel: ++44 1865 407333 (English)

Manufacturer WEICON GmbH & Co. KG

Königsberger Str. 255, DE-48157 Münster

1.4. Emergency telephone number

GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h):

Tel: ++49 69 222 25285 (Deutsch, Englisch)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

 Skin Irrit. 2
 H315

 Eye Dam. 1
 H318

Hazard Statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

2.2. Label elements



No. 1907/2006 (REACH) Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS05

Signal word

Danger

Hazard Statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary Statements

P102	Keep out of reach of children.
P264 P273 P280	Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/eye protection.
P302 + P352 P305 + P351 + P338 P314 P332 + P313 P337 + P313 P362 + P364	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to hazardous or special waste collection point.

Hazardous ingredients for labeling

Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(dodecyloxy)-, sodium salt

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients

CAS No	EC No	-	% /eight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
33939-64-9	608-922-0	Poly(oxy-1,2-ethanediyl), .alpha 10 (carboxymethyl)omega(dodecyloxy)-, sodium salt	0 - 25	Skin Irrit. 2, H315 / Eye Dam. 1, H318
REACH				
CAS No	Name			REACH registration number
33939-64-9	Poly(oxy-1,2- sodium salt	ethanediyl), .alpha(carboxymethyl)omega(dodecylox	(y)-,	not subject to registration



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove moisted clothing immediately.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with soap and water.

Consult a doctor if skin irritation persists.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Do not induce vomiting.

Refer to medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms

skin irritation

Physician's information / possible dangers

Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO2)

Sulphur dioxide (SO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Inform pollution control authorities if product gets into the sewerage systems or open waters.

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

After taking up the material dispose according to regulation.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Take the usual precautions when handling with chemicals.

General protective measures

Do not inhale vapours.

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink and smoke.

Remove soiled or soaked clothing immediately.

Work in rooms with good ventilation.

Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in closed original container.

Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

Do not store together with acids.

Do not store together with oxidizing agents.

Further information on storage conditions

Protect from frost.

Keep container dry, tightly closed and store at cool and aired place.

Protect of heat.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

Respiratory protection

Not required

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min; 60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles

Other protection measures

protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceColourOdourliquidwhitishhardly noticeable

Odour threshold

not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
boiling point	100 °C				
melting point	not determined				
Flash point	not applicable				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				



No. 1907/2006 (REACH) Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

	Value	Temperature	at	Method	Remark
Ignition temperature	> 200 °C				estimate
Self ignition temperature					The product is not self-igniting.
Lower explosion limit	not applicable				
Upper explosion limit	not applicable				
Vapour pressure	not determined				
Relative density	1,06 g/cm3	20 °C			
Vapour density	not determined				
Solubility in water					miscible
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not applicable				
Decomposition temperature	not determined				
Viscosity kinematic	not applicable				
Viscosity dynamic	not applicable				
Oxidising properties No information available.					
Explosive properties no					
9.2. Other information No information available.					

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Keep away from heat.

10.5. Incompatible materials

Substances to avoid

Acid

Oxidising agent



No. 1907/2006 (REACH) Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

10.6. Hazardous decomposition products

Carbon dioxide (CO2) Carbon monoxide

Thermal decomposition

Remark No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark	
Skin irritation	irritant				
Eye irritation	risk of strong eye injuries				
Skin sensitization	non-sensitizing				

Subacute Toxicity - Carcinogenicity					
	Value	Species	Method	Validation	
Chronic Toxicity				-	
Mutagenicity				No experimental information on genotoxicity in vitro available.	
Reproduction- Toxicity				No indications of toxic effects were observed in reproduction studies in animals.	
Carcinogenicity				No indications of carcinogenic effects are available from long-term trials.	

Specific target organ toxicity (single exposure)

not applicable

Specific target organ toxicity (repeated exposure)

not applicable

Aspiration hazard

not applicable

Experiences made from practice

Risk of strong eye injuries. Irritates eyes and skin.

Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

The product has not been tested. The information is derived from the properties of the individual components.



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

Lootoxicolo	Value	Species	Method	Validation	
Fish	LC50 3 mg/l (96 h)	Fish		CAS: 33939-64-9	_
Daphnia	EC50 8 mg/l (48 h)	Daphnia magna		CAS: 33939-64-9	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

General regulation

Do not allow uncontrolled leakage of product into the environment.

Product is not allowed to be discharged into the ground water or aquatic environment.

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

The ecotoxic effect of the product has not been tested. The information on this is given on the basis of details in the literature.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.Name of waste15 01 02plastic packaging15 01 04metallic packaging

16 05 08* discarded organic chemicals consisting of or containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Dispose of according to the local waste regulations.

Packaging that cannot be cleaned should be disposed of like the product.

General information

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	-	-	-



No. 1907/2006 (REACH)
Printed 05.08.2019

revision 04.12.2017 (GB) Version 1.0

Leak-Detection-Liquid-Viscous

	ADR/RID	IMDG	IATA-DGR
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
14.4. Packing group	-	-	-
14.5. Environmental hazard	s -	-	-

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

VOC content 0 %

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

H315 Causes skin irritation.

H318 Causes serious eye damage.